

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	10	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 size\$1 near2 request\$4 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:34
L4	16	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:36
L5	3	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 size\$1 and large same small near (file\$1 or request\$4)not (L3 or L4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:38
L6	126	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 size\$1 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:37
L7	3	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 accurat\$4 near15 size\$1 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:48
L8	5433	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:39
L9	91	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 size\$1 near10 accurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:42

EAST Search History

L10	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 (performance\$1 or metric\$1) near15 size\$1 near10 accurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:43
L11	25	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 (performance\$1 or metric\$1) near15 size\$1 and accurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:48
L12	73	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 (large\$3 or small\$4) near5 (transfer\$5 or request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:54
L13	3	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 (large\$3 or small\$4) near5 (transfer\$5 or request\$5) and throughput	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:50
L14	4	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (calculat\$4 or measur\$4 or monitor\$4 or assessment\$1 or evalution\$1)near15 (large\$3 or small\$4) near5 (transfer\$5 or request\$5) and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:56
L15	394	(@ad<"20010619" or @rlad<"20010619") and large\$2 near15 throughput and small\$2 near15 (delay\$2 or latenc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:59
L16	10	(@ad<"20010619" or @rlad<"20010619") and (measur\$6 or calculat\$5 or evaluat\$4 or monitor\$5) near15 large\$2 near15 throughput and (measur\$6 or calculat\$5 or evaluat\$4 or monitor\$5) near15 small\$2 near15 (delay\$2 or latenc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 14:58

EAST Search History

L17	2	(@ad<"20010619" or @rlad<"20010619") and large\$2 near5 (transfer\$4 or request\$4) near15 throughput and small\$2 near5 (transfer\$4 or request\$4) near15 (delay\$2 or latenc\$4) and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:02
L18	0	(@ad<"20010619" or @rlad<"20010619") and large\$2 near5 (transfer\$4 or request\$4) near15 throughput and small\$2 near5 (transfer\$4 or request\$4) near15 rtt and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:02
L19	21	(@ad<"20010619" or @rlad<"20010619") and large\$2 near5 (transfer\$4 or request\$4) near15 throughput and small\$2 near5 (transfer\$4 or request\$4) near15 tim\$4 and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:09
L20	101	(@ad<"20010619" or @rlad<"20010619") and evaluat\$4 near15 size\$1 near5 transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:10
L21	84	(@ad<"20010619" or @rlad<"20010619") and evaluat\$4 near15 size\$1 near5 transfer\$4 and (large\$1 or small\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:11
L22	6	(@ad<"20010619" or @rlad<"20010619") and evaluat\$4 near10 performanc\$3 near15 size\$1 near2 transfer\$4 and (large\$1 or small\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 15:12
S33 0	145	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 request\$3 near4 (size\$1 or large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:05
S33 1	5	(@ad<"20010619" or @rlad<"20010619") and different near5 measur\$6 near15 request\$3 near4 (size\$1 or large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 14:55

EAST Search History

S33 2	4089	(@ad<"20010619" or @rlad<"20010619") and different near5 measur\$6 near15 (size\$1 or large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 14:55
S33 3	145	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 request\$3 near4 (size\$1 or large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:21
S33 4	27	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 request\$3 near4 (size\$1 or large or small) near2 (file\$1 or data or transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:03
S33 5	10	(@ad<"20010619" or @rlad<"20010619") and type\$1 near5 measur\$6 near15 request\$3 near4 (size\$1 or large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:04
S33 6	24	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 request\$3 near4 (size\$1 or large or small).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:05
S33 7	8874	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 large same measur\$6 near15 small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:22
S33 8	0	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 large same measur\$6 near10 RTT\$1 near15 small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:22
S33 9	13	(@ad<"20010619" or @rlad<"20010619") and large same RTT\$1 near15 small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:24

EAST Search History

S34 0	13	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near15 large near5 file\$1 same small near5 file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:27
S34 1	40	(@ad<"20010619" or @rlad<"20010619") and performance\$1 near15 large near5 file\$1 same small near5 file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:29
S34 2	4213	(@ad<"20010619" or @rlad<"20010619") and performance\$1 near15 (large or small or size\$1) near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:30
S34 3	88	(@ad<"20010619" or @rlad<"20010619") and different near10 performance\$1 near15 (large or small or size\$1) near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:34
S34 4	290	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 measur\$6 near15 (large or small or size\$1) near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:39
S34 5	5	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 measur\$6 near15 (large) near3 (file\$1 or data) same (small or size\$1) near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:37
S34 6	14	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (different or particular) near5 measur\$6 near15 (large or small or size\$1) near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:38
S34 7	286	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 measur\$6 near15 (large or small or size\$1) near3 (file\$1 or data) not S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:01

EAST Search History

S34 8	5	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 measur\$6 near5 performanc\$4 near15 (large or small or size\$1) near3 (file\$1 or data) not S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:43
S34 9	24	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 method\$1 near10 measur\$6 near15 (large or small or size\$1) near3 (file\$1 or data) not S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 15:52
S35 0	939	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 (large or small or size\$1) near3 (file\$1 or data) not S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:02
S35 1	195	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) not S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:02
S35 2	0	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) same throughput	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:03
S35 3	19	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) same throughput	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:03
S35 4	2	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) same throughput near15 large	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:04
S35 5	66	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) same large	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:04

EAST Search History

S35 6	18	(@ad<"20010619" or @rlad<"20010619") and (latency or RTT) near15 small near3 (file\$1 or data) same large and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:46
S35 7	4	(@ad<"20010619" or @rlad<"20010619") and (metric\$1) near15 small near3 (file\$1 or data) same large and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:48
S35 8	85	(@ad<"20010619" or @rlad<"20010619") and (metric\$1) near15 size\$1 near3 (file\$1 or data) and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:48
S35 9	7	(@ad<"20010619" or @rlad<"20010619") and select\$4 near10 (metric\$1) near15 size\$1 near3 (file\$1 or data) and measur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:47
S36 0	4	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near5 (metric\$1) near15 size\$1 near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:49
S36 1	81	(@ad<"20010619" or @rlad<"20010619") and measur\$6 near5 (character\$7 or metric\$1) near15 size\$1 near3 (file\$1 or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/13 16:54
S36 2	305	(@ad<"20010619" or @rlad<"20010619") and large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:09
S36 3	121	(@ad<"20010619" or @rlad<"20010619") and measur\$5 and large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:09

EAST Search History

S36 4	96	(@ad<"20010619" or @rlad<"20010619") and measur\$5 and (rtt\$1 or throughput\$3 or rate\$1) and large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:11
S36 5	41	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) and large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:12
S36 6	1	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) and (rtt\$1 or throughput\$3 or rate\$1) same large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:14
S36 7	0	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) and measur\$5 same large near file\$1 same small near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:14
S36 8	14	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) and measur\$5 same large near data same small near data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:23
S36 9	23358	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) same size\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:23
S37 0	47	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (rtt\$1 or throughput\$3 or rate\$1) same size\$1 near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:27
S37 1	24	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (metric\$1 or performanc\$4) same size\$1 near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:28

EAST Search History

S37 2	33	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (metric\$1 or performanc\$4) same size\$1 near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:46
S37 3	0	(@ad<"20010619" or @rlad<"20010619") and measur\$5 same (metric\$1 or performanc\$4) same small near (file\$1 or request\$4) same large near (file\$1 or request\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:46
S37 4	676	(@ad<"20010619" or @rlad<"20010619") and (empirical or metric\$1 or performanc\$4) same size\$1 near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:47
S37 5	4046	(@ad<"20010619" or @rlad<"20010619") and (empirical or metric\$1 or performanc\$4) same large near (file\$1 or request\$4) or small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:48
S37 6	3987	(@ad<"20010619" or @rlad<"20010619") and (empirical or metric\$1 or performanc\$4) near15 large near (file\$1 or request\$4) or small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:48
S37 7	3718	(@ad<"20010619" or @rlad<"20010619") and different near11(empirical or metric\$1 or performanc\$4) near15 large near (file\$1 or request\$4) or small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:48
S37 8	0	(@ad<"20010619" or @rlad<"20010619") and different near11(empirical or metric\$1 or performanc\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:48
S37 9	18	(@ad<"20010619" or @rlad<"20010619") and (empirical or metric\$1 or performanc\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:52

EAST Search History

S38 0	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 (empirical or metric\$1 or performanc\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:53
S38 1	103	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 (empirical or metric\$1 or performanc\$4) and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:53
S38 2	3	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 different near5 (empirical or metric\$1 or performanc\$4) and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:56
S38 3	31	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 different near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1) and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:56
S38 4	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 different near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1) near10 size\$1 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:57
S38 5	29	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near10 different near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1) and size\$1 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:58

EAST Search History

S38 6	101	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1) and size\$1 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 10:59
S38 7	49	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1) and size\$1 near2 request\$4 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:03
S38 8	2	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near5 (empirical or metric\$1 or performanc\$4 or characteristic\$1).ab. and size\$1 near2 request\$4 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:04
S38 9	10	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 size\$1 near2 request\$4 and large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:13
S39 0	16	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:13
S39 1	16	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not S389	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:15

EAST Search History

S39 2	42	(@ad<"20010619" or @rlad<"20010619") and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not S389	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:15
S39 3	36	(@ad<"20010619" or @rlad<"20010619") and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not S391	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:15
S39 4	34	(@ad<"20010619" or @rlad<"20010619") and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:22
S39 5	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4)near10 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:23
S39 6	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4)near15 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large near (file\$1 or request\$4) same small near (file\$1 or request\$4)not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:23
S39 7	289	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4)near15 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:24

EAST Search History

S39 8	249	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4)near10 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 11:24
S39 9	63	(@ad<"20010619" or @rlad<"20010619") and (select\$4 or calculat\$4 or measur\$4 or monitor\$4)near10 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:05
S40 0	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4) near10 optimal near5 (metric\$1 or measurement\$1) and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:02
S40 1	0	(@ad<"20010619" or @rlad<"20010619") and (select\$4) near10 optimal near5 (metric\$1 or measurement\$1) and (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:02
S40 2	44	(@ad<"20010619" or @rlad<"20010619") and (select\$4) near10 (metric\$1 or measurement\$1) and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:03
S40 3	4	(@ad<"20010619" or @rlad<"20010619") and (select\$4) near10 (metric\$1 or measurement\$1)same size\$1 and (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:03

EAST Search History

S40 4	50	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 (latenc\$4 or delay\$1 or (loss near2 packet\$1) or bandwidth\$1) near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:06
S40 5	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 latenc\$4 same (loss near2 packet\$1) same bandwidth\$1 near15 size\$2 same large same small not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:06
S40 6	0	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 latenc\$4 same (loss near2 packet\$1) same bandwidth\$1 near15 (size\$2 or (large same small)) not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:06
S40 7	14	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 latenc\$4 same bandwidth\$1 near15 (size\$2 or (large same small)) not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:23
S40 8	1	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 latenc\$4 same throughput\$4 near15 (size\$2 or (large same small)) not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:07
S40 9	51	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 empirical near15 (size\$2 or (large same small)) not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:26
S41 0	153	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 metric\$1 near15 (size\$2 or (large same small)) not (S389 or S391)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:27
S41 1	45	(@ad<"20010619" or @rlad<"20010619") and select\$4 near15 metric\$1 near15 (size\$2 or (large same small)) not (S389 or S391) and (latenc\$4 or delay\$1 or (loss near2 packet\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:34

EAST Search History

S41 2	530	(@ad<"20010619" or @rlad<"20010619") and metric\$1 near15 (size\$2 or (large same small)) not (S389 or S391) and (latenc\$4 or delay\$1 or (loss near2 packet\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:34
S41 3	52	(@ad<"20010619" or @rlad<"20010619") and metric\$1 near15 (size\$2 or (large same small)) not (S389 or S391) and (latenc\$4 or delay\$1 or (loss near2 packet\$1))and "709"/\$3. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/12/18 12:35